HEARING RESEARCH

CONTENTS

Vol. 104, Nos. 1–2
• February 1997

*Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Current Awareness in Biological Sciences (CABS); Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update*

**Research Papers**

*K. Hirose, D.M. Hockenbery and E.W Rubel (USA)*
Reactive oxygen species in chick hair cells after gentamicin exposure in vitro 1

*R.K. Duncan and J.W. Grant (USA)*
A finite-element model of inner ear hair bundle micromechanics 15

*Y.S. Sininger, C. Abdala and B. Cone-Wesson (USA)*
Auditory threshold sensitivity of the human neonate as measured by the auditory brainstem response 27

*S. Dagli and B. Canlon (Sweden)*
The effect of repeated daily noise exposure on sound-conditioned and unconditioned guinea pigs 39

*E.R. Yoho, G.N. Thomopoulos, I. Thalmann, R. Thalmann and B.A. Schulte (USA)*
Localization of organ of Corti protein II in the adult and developing gerbil cochlea 47

*M. Brown, W.R. Webster and R.L. Martin (Australia)*
The three-dimensional frequency organization of the inferior colliculus of the cat: a 2-deoxyglucose study 57

*M. Brown, W.R. Webster and R.L. Martin (Australia)*
Intensity and frequency functions of [$^{14}$C]2-deoxyglucose labelling in the central nucleus of the inferior colliculus in the cat 73

*M.D. McGinn and B.T. Faddis (USA)*
Kangaroo rats exhibit spongiform degeneration of the central auditory system similar to that found in gerbils 90

*J.C. Adams and B.A. Schulte (USA)*
Histopathologic observations of the aging gerbil cochlea 101

*J.B. Kelly and L. Li (Canada)*
Two sources of inhibition affecting binaural evoked responses in the rat's inferior colliculus: the dorsal nucleus of the lateral lemniscus and the superior olivary complex 112

*D.M. Williams and A.M. Brown (UK)*
The effect of contralateral broad-band noise on acoustic distortion products from the human ear 127

*M. Saitoh, H. Ueda and N. Yanagita (Japan)*
Changes in cochlear function after double-membrane rupture in the guinea pig 147

*T. Sickmann, K. Kalmring and A. Müller (Germany)*
The auditory–vibratory system of the bushcricket *Polysarcus denticauda* (Phaneropterinae, Tettigoniidae) I. Morphology of the complex tibial organs 155

*K.R. Henry (USA)*
Auditory nerve neurophonic tuning curves produced by masking of round window responses 167

*Å. Flock and J.M. Jørgensen (Sweden, Denmark)*
Synaptic body movements in the sensory cells of lateral line organs in the urodele amphibian *Ambystoma mexicanum* 177

Contents continued on inside back cover

0378-5955(199702)104:1/2;1-Q

(Contents continued from back cover)

*J.-P. Vasama and J.P. Mäkelä (Finland)*
Auditory cortical responses in humans with profound unilateral sensorineural hearing loss from early childhood 183

*X.-Y. Zheng, D. Henderson, S.L. McFadden and B.-H. Hu (USA)*
The role of the cochlear efferent system in acquired resistance to noise-induced hearing loss 191

**Calendar of events** 204

**Author Index Volume 104** 207

**Subject Index Volume 104** 209

The table of contents of *Hearing Research* is included in ESTOC – Elsevier Science Tables of Contents service – which can be accessed on the World Wide Web at the following URL addresses:
http://www.elsevier.nl/locate/estoc or http://www.elsevier.com/locate/estoc

**A CUMULATIVE INDEX** for *Hearing Research*, Volumes 1 through to the current volume is available upon an IBM-formatted 5.25 inch floppy disc (ASCII) **free of charge**. Please send $10.00 (to cover postage and handling) by personal check or money order payable to: Cleat Szczepaniak, Hearing Research, P.O. Box 99187, Pittsburgh, PA 15233-4187, USA. The index is also available on the Internet: gopher://spib.rice.edu:70/11/SPIB/bibliography/hr

For a full and complete Instructions to Authors, please refer to Hearing Research, Vol. 103, Nos. 1-2, pp. 229–231. The instructions can also be found on the World Wide Web: access under http://www.elsevier.nl or http://www.elsevier.com